

We claim:

1. A method of routing a call in a wireless communications network made to a called party Subscriber Universal Destination Identifier (SUDI) comprising:
 - determining the call type;
 - selecting a call-type-specific destination identifier for the call from a plurality of called party destination identifiers based on the call type; and
 - routing the call to the called party using the selected call-type-specific destination identifier.
2. The method defined in claim 1 wherein the step of determining the call type further comprises:
 - determining the call protocol; and
 - determining the call type from the call protocol.
3. The method defined in claim 1 wherein the step of determining the call type further comprises:
 - determining the call protocol;
 - determining the media type; and
 - determining the call type from the call protocol and the media type.
4. The method defined in claim 1 wherein the SUDI is a Uniform Resource Identifier (URI).
5. The method defined in claim 1 wherein the SUDI is a Uniform Resource Locator (URL).

6. The method defined in claim 1 wherein the SUDI is a Uniform Resource Name (URN).
7. The method defined in claim 1 wherein the SUDI is a telephone number.
8. A system for routing a call in a wireless communications network made to a called party Subscriber Universal Destination Identifier (SUDI) comprising:
 - means for determining the call type;
 - means for selecting a call-type-specific destination identifier for the call from a plurality of called party destination identifiers based on the call type; and
 - means for routing the call to the called party using the selected call-type-specific destination identifier.
9. The system defined in claim 8 further comprising:
 - means for determining the call protocol; and
 - means for determining the call type from the call protocol.
10. The system defined in claim 8 further comprising:
 - means for determining the call protocol;
 - means for determining the media type; and
 - means for determining the call type from the call protocol and the media type.
11. The system defined in claim 8 wherein the SUDI is a Uniform Resource Identifier (URI).

12. The system defined in claim 8 wherein the SUDI is a Uniform Resource Locator (URL).

13. The system defined in claim 8 wherein the SUDI is a Uniform Resource Name (URN).

14. The system defined in claim 8 wherein the SUDI is a telephone number.

15. A method of routing a call in a wireless communications network made to a called party Subscriber Universal Destination Identifier (SUDI) comprising:

- determining the call protocol;
- determining the media type;
- determining the call type from the call protocol and the media type;
- selecting a call-type-specific destination identifier for the call from a plurality of called party destination identifiers based on the call type; and
- routing the call to the called party using the selected call-type-specific destination identifier.